



SWISSTEC



SAFETY PRODUCTS



Boiler Suit



Lab Coat



Green Nitrile Flocklined Gloves



Household Gloves



Impact Resistant Gloves



Industrial Rubber Gloves



Electrical Hand Gloves



Stainless Steel Gloves



Latex Coated Gloves



Leather Welding Hand Gloves



Nitrile Coated Gloves



PU Coated Gloves



Latex Coated Gloves



PVC Supported Gloves



Cotton Hosiery Gloves



Cotton Knitted Gloves



Labour Safety Helmet



Face Shield



Safety Helmet with Ratchet- Staff



Welding Helmet



Safety Gumboot



Safety Gumboot



Reflective Vest



Safety Reflective Stripe Vest



Full Body Harness with Double Scaffolding Hook



Dusk Mask



Respiratory Mask



Chemical Splash Goggles



Safety Glasses



Safety Net



Fire Extinguisher



First Aid Box




Life Buoy Ring



Marine life Jacket



Ear Muff



Ear Plug

For detailed technical specifications and further information, please contact our team.



DUKE

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-13
Optional	Steel Midplate/Fibre Toe

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Spacer
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Sporty and Fancy Look • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12
Optional	Steel Midplate/Fibre Toe



KNIGHT

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12
Optional	Steel Midplate/Fibre Toe



MAJESTY



CZAR

Characteristics	Details
Sole	Double Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12
Optional	Steel Midplate/Fibre Toe

Characteristics	Details
Sole	Double Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Orange Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12
Optional	Steel Midplate/Fibre Toe



MAGNATE

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Suede Leather
Lining	Grey Colour Spacer
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Flat laces
Features	<ul style="list-style-type: none"> • Sporty, Fancy & Executive look • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	5-12
Optional	Steel Midplate/Fibre Toe



EXECUTIVE (Sporty Look)



RANGER

Characteristics	Details
Sole	Double Density NR/PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather OIL PULP Up Leather with Thickness 2.2- 2.4 mm
Midsole	Penetration resistance offered by a steel midsole upto 1100 newtons
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> • Water Resistant & Water Repellent Upper • Heat resistant Outsole - 300 degree upto 1 minute • Oil, Acid & Alkali Resistant • Nail less construction, with Electrical Shock resistant upto 18Kv • Puncture resistant • Anti Skid/ Abrasion resistant
Available Size	4-12

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Suede Leather
Lining	Grey Colour Spacer
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Flat laces
Features	<ul style="list-style-type: none"> • Sporty, Fancy & Executive look • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	5-12
Optional	Steel Midplate/Composite Toe



EXECUTIVE - Brown (Sporty Look)



STEEL TOE GUARD

Characteristics	Details
Toe Cap	ISI Mark Steel Toe
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Tan Brown Colour Cambrell
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	Free Size



CHIEF

Characteristics	Details
Sole	PVC - Injection Moulded
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	5-11

Characteristics	Details
Sole	PVC - Injection Moulded
Toe Cap	Steel Toe upto 140 joules
Upper	Synthetic Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Skin Fit
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion Resistant • Oil & Acid Resistant
Available Size	5-11
Optional	Steel Midplate



CHMAPION

Characteristics	Details
Sole	PVC - Injection Moulded
Toe Cap	Steel Toe upto 140 joules
Upper	Synthetic Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Skin Fit
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion Resistant • Oil & Acid Resistant
Available Size	5-11
Optional	Steel Midplate



ACE



MATRON (Ladies Safety Shoes)

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Pink Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> • Without Laces with Side Strap & ChromeBuckle • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	2-9
Optional	Fibre Toe

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> • Without Laces Slip-On type • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12
Optional	Steel Midplate/Fibre Toe

SLIP ON (Without Lace)



REX (Heat & Chemical Resistant)



Characteristics	Details
Sole	Vulcanized Nitrile Rubber - Direct Moulded Sole
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Heat resistant - 300 degree upto 1 minute • Oil, Acid & Alkali Resistant • Nail less construction, with Electrical Shock resistant upto 18Kv • Anti Skid/ Abrasion resistant
Available Size	5-11
Optional	Steel Midplate/Composite Toe

MIKADO (Rigger Boot)



Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather OIL PULP Up Leather with Thickness 2.2- 2.4 mm
Lining	Brown Colour Cambrell
Midsole	Penetration resistance offered by a steel midsole upto 1100 newtons
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> • Water Resistant & Water Repellent Upper • Puncture resistant • Excellent heel support • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12

Characteristics	Details
Sole	Single Density PU
Toe Cap	Fibre Toe
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Electrical insulation from 11 KV to 13 KV • Nail Less Shoe Construction • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12



ELECTRICAL



BROWN (Low Cut)

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Brown Colour Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Brown Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Brown Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> • Anti Skid/ Abrasion resistant • Oil & Acid resistant
Available Size	4-12
Optional	Steel Midplate / Composite Toe



SWISSTEC L.L.C-FZ

Registered Address:
Meydan Grandstand, 6th floor, Meydan
Road, Nad Al Sheba, Dubai, U.A.E.
Email : info@swisstec.ae
Contact : +971 50 970 4636
www.swisstec.ae



SWISSTEC